

From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865



24 Hour Emergency Telephone: 908-859-2151 CHEMTREC: 1-800-424-9300

National Response in Canada CANUTEC: 613-996-6666

Outside U.S. and Canada Chemtrec: 703-527-3887

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

PROPYLENE GLYCOL

1. Product Identification

Synonym s: 12-propanediol; 12-dihdroxypropane; m ethylglycol; m ethylethylene glycol

CAS No.: 57-55-6

Molecular Weight: 76.09

Chem ical Form ula: CH 3CHOHCH 2OH

ProductCodes:

J.T. Baker: 9402, 9403, U 510 M allinck rodt: 1925,6263

2. Com position/Inform ation on Ingredients

Ingredient	CAS No	Percent	Hazardous	
Propylene Glycol	57-55-6	99 - 100%	Yes	

3. Hazards Identification

Em ergency O verview

CAUTION! MAY CAUSE IRRITATION TO SKIN AND EYES.

SAF-T-DATA (m) Ratings (Provided here for your convenience)

Health Rating: 2 - Moderate (Life)
Flammability Rating: 1 - Slight
Reactivity Rating: 1 - Slight
Contact Rating: 1 - Slight

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Green (General Storage)

Potential Health Effects

Inhalation:

No adverse health effects via inhalation.

Ingestion:

Relatively non-toxic. Ingestion of sizable amount (over 100ml) may cause some gastroin testinal upset and temporary central nervous system depression. Effects appear more severe in individuals with kidney problems.

Skin Contact:

M ild irritant and defatting agent, especially on prolonged contact.

Eye Contact:

M ay cause transitory stinging and tearing.

Chronic Exposure:

Lactic acidosis, stupor and seizures have been reported following chronic ingestion.

Aggravation of Pre-existing Conditions:

K idney disorders.

4. First A id M easures

Inhalation:

Rem ove to fresh air. Not expected to require first aid measures.

Ingestion:

Not expected to require first aid measures. Give several glasses of water to drink to dilute. If large amounts were swallowed, get medical advice.

Sk in Contact:

Rem ove any contam inated clothing. Wash skin with soap and water for at least 15 m inutes. Get medical attention if irritation develops or persists.

Eye Contact:

In case of contact, im m ediately flush eyes with plenty of water for at least 15 m inutes, lifting upper and lower eyelids occasionally. Call a physician if irritation persists.

Note to Physician:

In case of ingestion, monitor for acidosis and central nervous system changes. Exposed persons with previous kidney dysfunction may require special treatment.

5. Fire Fighting M easures

Fire:

Flash point: 99C (210F) CC

Autoignition temperature: 371C (700F) Flammable limits in air% by volume:

lel: 2.6; uel: 12.5

M aterial can support com bustion.

Explosion:

Containers may explode in heat or fire.

Fire Extinguishing M edia:

D ry chem ical, foam, water or carbon dioxide.

Special Information:

In the event of a fire, we are full protective clothing and N IO SH -approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Move exposed containers from fire area, if it can be done without risk. Use water to keep fire-exposed containers cool.

6. A ccidental R elease M easures

Ventilate area of leak or spill. Rem ove all sources of ignition. We ar appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sew er!

7. H and ling and Storage

Protect container from physical dam age. Store in a cool, dry, ventilated area away from sources of heat, moisture, and incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all wamings and precautions listed for the product.

8. Exposure Controls/Personal Protection

A irbome Exposure L in its:

A IHA W orkplace Environmental Exposure Level (W EEL): TW A = 10 m g/m 3.

V entilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the A irbome Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACG IH document, *Industrial Ventilation*, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (N IO SH Approved):

If the exposure lim it is exceeded, a half-face respirator with an organic vapor cartridge and particulate filter (N IO SH type P95 or R95 filter) may be wom for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece respirator with an organic vapor cartridge and particulate filter (N IO SH P100 or R100 filter) may be wom up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. Please note that N series filters are not recommended for this material. For emergencies or instances where the exposure levels are not known, use a full-face piece positive-pressure, air-supplied respirator. WARNING: A ir-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Sk in Protection:

Wear protective gloves and clean body-covering clothing.

Eye Protection:

U se chem ical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chem ical Properties

A ppearance: Clear oily liquid. Odor: Odorless. Solubility: M iscible in water. Specific G ravity: 1.0361@ 20C/4C pH: No information found. % Volatiles by volum e@ 21C (70F): No information found. Boiling Point: 188.2C (370F) Melting Point: -59C (-74F) V apor D ensity (A i=1): 2.6 Vapor Pressure (m m Hg): 0.129@ 25C (77F) Evaporation Rate (BuA \subset 1):

10. Stability and Reactivity

Stability:

0.01

Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products:

Carbon dioxide and carbon monoxide may form when heated to decomposition. A ldehydes or lactic, pyruvic or acetic

acids may also be formed.

H azardous Polym erization:

Will not occur.

Incom patibilities:

Strong oxidizing agents.

Conditions to A void:

Heat, flames, ignition sources and incompatibles.

11. Toxicological Information

O ral rat LD 50: 20g/kg. Skin rabbit LD 50: 20 8g/kg. Irritation: Eye rabbit/D raize, 500 m g/24H m ild. Investigated as a m utagen and reproductive effector.

\Cancer Lists\					
	NTP Carcinogen				
Ingredient	Known	Anticipated	IARC Category		
Propylene Glycol (57-55-6)	No	No	None		

12. Ecological Information

Environm entalFate:

When released into the soil, this material is expected to readily biodegrade. When released into the soil, this material is expected to leach into groundwater. When released into water, this material is expected to readily biodegrade. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to have a half-life between 1 and 10 days.

Environm ental Toxicity:

No information found.

13.D isposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local

disposal regulations m ay differ from federal disposal regulations. D ispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Not regulated.

15. Regulatory Information

\Chemical Inventory Status - Part Ingredient		TSCA	EC	Japan	Australia	
Propylene Glycol (57-55-6)					Yes	
\Chemical Inventory Status - Part 2\						
Ingredient		Korea	n DSL		Phil.	
Propylene Glycol (57-55-6)		Yes				
\Federal, State & International Regulations - Part 1\						
Ingredient	RQ	TPQ	Li	st Che	mical Catg.	
Propylene Glycol (57-55-6)	No		No		No	
\Federal, State & International Regulations - Part 2\						
Ingredient	CERCL			3 8	(d)	
Propylene Glycol (57-55-6)	No		No		0	

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No SARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No

Reactivity: No (Pure / Liquid)

A ustralian H azchen Code: N one allocated.

Poison Schedule: None allocated.

WHM IS:

This M SDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the M SDS contains all of the information required by the CPR.

16.0 ther Information

NFPA Ratings: Health: 0 Flam m ability: 1 Reactivity: 0

Label Hazard Waming:

CAUTION! MAY CAUSE IRRITATION TO SKIN AND EYES.

Label Precautions:

A void contact with eyes, skin and clothing.

W ash thoroughly after handling.

Label First Aid:

In case of contact, im m ediately flush skin or eyes with plenty of water for at least 15 m inutes. Call a physician if irritation develops or persists.

Product Use:

Laboratory Reagent.

Revision Information:

M SDS Section(s) changed since last revision of document include: 8.

D isclaim er:

*

M allinck rodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Environm ental Health & Safety Phone Number: (314) 654-1600 (USA.)