

Additive Toxicity Statement

Orange oil, sweet



DESCRIPTION

Name	Orange oil, sweet
IUPAC name	Orange, sweet, ext. (CAS 8028-48-6)
CAS no	8008-57-9,8028-48-6
EINECS no	232-433-8 (CAS 8028-48-6)
Molecular formula	Not relevant
Structural formula	Not relevant
Molecular weight (g/mol)	Not relevant

AVAILABLE STUDIES

The available toxicity studies indicated in the Commission Implementing Decision (EU) 2015/2186 have been provided as a bibliography of published papers. The studies were obtained by BAT for toxicological assessments, to ensure that additives do not increase the inherent risk associated with the use of our products.

The risk assessment starts with a comprehensive search for relevant papers, using the additive's name, major synonyms and CAS Registry Number. The main sources searched are: TRACE¹, Toxnet², RTECS³, TSCATS⁴, INCHEM⁵, Europa Food Flavouring⁶, ECHA⁷, EAFUS⁸, ChemIDplus⁹ and eChemportal¹⁰.

RISK ASSESSMENT

Toxicological assessments are carried out by our scientists (including a number of European Registered Toxicologists (ERT)) at our Research and Development facilities in the UK. Our approach excludes the use of formally classified genotoxicants, non-threshold carcinogens, mutagens, reproductive and developmental toxicants as additives. Based on Levels of Concern and weight-of evidence, our approach ensures that additives are used at levels lower than the relevant toxicological reference value.

Following a comprehensive search for all available toxicological information, our toxicologists select the most appropriate studies for evaluation for the intended route of exposure. To do this, our toxicologists evaluate the quality of all pertinent studies identified and the data used. The evaluation of data quality includes an assessment of its relevance and reliability as well as the adequacy of the information for hazard/risk assessment purposes, following the principles described by Klimisch *et al*¹¹.

In the majority of BAT's products, a number of the additives are heated or combusted. The effects of heating or combustion on additive toxicity, have been addressed by extensive testing. The results of pyrolysis, smoke chemistry, *in vitro* cytotoxicity, *in vitro* genotoxicity, inhalation toxicity

Additive Toxicity Statement

Orange oil, sweet



and tumourigenicity studies have been widely published in peer-reviewed journals. These studies are included in our risk assessments where applicable by product class.

Examples of our assessment processes can be found in published literature for example:

- An overview of the effects of tobacco ingredients on smoke chemistry and toxicity¹²
- An approach to ingredient screening and toxicological risk assessment of flavours in e-liquids¹³
- Contact sensitisation risk assessment approach for pouched snus ingredients¹⁴
- Assessment of the irritation potential of Swedish snus ingredients using the Epioral™ tissue model¹⁵

Further examples of our scientific publications are available at www.bat-science.com.

Health risks of tobacco use have primarily been determined in long term human epidemiological studies. For example, the smoking population in countries such as Canada, Australia and the UK have historically smoked Virginia style cigarettes, which contain few additives. In other countries such as the US and Germany smokers prefer American-blended style cigarettes, which contain significantly more additives. Notwithstanding the distinction in historical use of additives in these countries, there appears to be no obvious difference in the relative risks of cigarette smoking for these types of cigarette, or on the incidence of diseases such as lung cancer and chronic obstructive pulmonary disease¹⁶, suggesting that the addition of additives to cigarettes may not increase the incidence of diseases associated with smoking.

ADDICTIVENESS

In its 2010 opinion on Addictiveness and Attractiveness of additives¹⁷, SCENIHR came to the clear conclusion that no additive could be identified which has an "addictive" effect in isolation, and that there are no indications that additives increase the "addictive" effect of nicotine itself. In a more recent final opinion¹⁸, SCENIHR reviewed 1260 additives and selected only 14 substances for further study because of their contribution to addictiveness to smoking.

CONCLUSION

Based on the available scientific evidence, BAT's scientists have concluded that the additives used in BAT's tobacco products, do not add to the toxicological risks of using those products.

1. Available at: <http://www.bibra-information.co.uk/supported> access to our chemical toxicology database TRACE.html
2. Available at: <http://toxnet.nlm.nih.gov/index.html>
3. Available at: <http://ccinfoweb.ccohs.ca/rtecs/search.html>
4. Available at: <http://www.srcinc.com/what-we-do/databaseforms.aspx?id=384>
5. Available at: <http://www.inchem.org/>
6. at: <http://echa.europa.eu/information-on-chemicals>
7. Available at: <http://www.accessdata.fda.gov/scripts/fcn/fcnNavigation.cfm?rpt=eafusListing>
8. Available at: <http://chem.sis.nlm.nih.gov/chemidplus/chemidheavy.jsp>
9. Available at: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
10. Klimisch, H.J., Andreae, E., Tillmann, U., (1997). A systematic approach for evaluating the quality of experimental and ecotoxicological data. *Regul. Toxicol. Pharmacol.* 25, 1–5.
11. R. R. Baker, E. D. Massey and G. Smith. An overview of the effects of tobacco ingredients on smoke chemistry and toxicity. *Food Chem. Toxicol.* 42 Suppl:S53-S83, 2004.

Additive Toxicity Statement

Orange oil, sweet



12. S. Costigan and C. Meredith. An approach to ingredient screening and toxicological risk assessment of flavours in e-liquids. *Regul. Toxicol. Pharmacol.* 72 (2):361-369, 2015.
 13. B. Lang, S. Costigan, S. Goodall and C. Meredith. Contact sensitisation risk assessment approach for pouched snus ingredients. *Toxicology* Available at: http://ec.europa.eu/food/food/chemicalsafety/flavouring/database/dsp_search.cfm
 14. Available Letters 229S:S109, 2014. (Abstract)
 15. L. Neilson, S. Faux, S., Hinchcliffe, T. Jai and C. Meredith. Assessment of the irritation potential of swedish snus ingredients using the epioral™ tissue model. Society of Toxicology, Baltimore, USA, March 15-19th. *The Toxicologist*, Volume 108, no 1, pg 307-308 (March 2009) (Conference Poster)
 16. World Health Organisation, 2004. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Volume 83. Tobacco smoke and involuntary smoking. p 171. International Agency for Research on Cancer (IARC), Lyon, 2004
 17. SCENIHR, 2010. Addictiveness and Attractiveness of Tobacco Additives. The Scientific Committee on Emerging and Newly Identified Health Risks. ISBN 978-92-79-12788-5. European Union. Available at: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenih_r_o_029.pdf.
 18. SCENIHR, 2015. Final Opinion on Additives used in Tobacco Products (Opinion 1). The Scientific Committee on Emerging and Newly Identified Health Risks. European Union. Available at: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenih_r_o_051.pdf.
-

Additive Toxicity Statement

Orange oil, sweet



REFERENCES

Alfa Aesar, 2012

Accessed 1 August 2012. Available at: <http://www.alfa.com/en/go160w.pgm?srchtyp=product>

Amphora Aromatics

Material safety data sheet: orange oil sweet. Amphora Aromatics Ltd, 36 Cotham Hill, Cotham, Bristol BS6 6LA. Available at:

<http://www.amphora-wholesale.com/pdfs/msds/40.pdf> .

Basto, A.S. and Azenha, A., 1991

Contact dermatitis due to incense. Contact Dermatitis, 24, 312-313.

CoE, 2000

Chemically-defined flavouring substances. Council of Europe Publishing. ISBN 92-871-4453-2

ChemIDplus, 2012

Accessed on September 2012. Available at: <http://chem.sis.nlm.nih.gov/chemidplus/>

ChemSpider, 2012

Royal Society of Chemistry chemical structure database. Accessed September 2012. Available at: <http://www.chemspider.com/>

Crebelli, R., Aquilina, G., Conti, L., Carere, A., 1990

Microbial mutagenicity screening of natural flavouring substances. Microbiologica. 13, 115-119.

ECHA, 2013.

European Chemicals Agency. Classification and Labelling (C&L) Inventory database. Last updated 01 March 2013. Accessed 10 May 2013. Available at:

<http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

ECHA, 2012

European Chemicals Agency. Information on Chemicals. CAS 8028-48-6. Accessed on 3 August 2012. Available at: <http://echa.europa.eu/information-on-chemicals>

EPI Suite, 2012

Records accessed in September 2012. The database is available to download at:

<http://www.epa.gov/opptintr/exposure/pubs/episuitedi.htm>

EFSA, 2012

European Food Safety Authority. Draft assessment report (DAR) for the existing active substance orange oil. Publication date 3 May 2012 (document dated August 2009, revised February 2012). Available at: <http://dar.efsa.europa.eu/dar-web/provision>

Elegbede, J.A., Maltzman, T.H., Verma, A.K., Tanner, M.A., Elson, C.E., Gould, M.N., 1986

Mouse skin tumor promoting activity of orange peel oil and d-limonene: a re-evaluation.

Carcinogenesis, 7, p.2047-2049.

Additive Toxicity Statement

Orange oil, sweet



EPI Suite

Entry for oils, orange, sweet (CAS 8008-57-9). Accessed 13 August 2012. The database is available to download at:

<http://www.epa.gov/opptintr/exposure/pubs/episuitedl.htm>

FDA, 2011

Food and Drug Administration. Everything Added to Food in the United States (EAFUS). Last updated 14 November 2011. Accessed on 2 August 2012. Available at:

<http://www.accessdata.fda.gov/scripts/fcn/fcnNavigation.cfm?rpt=eafusListing>

Field, W.E.H. and Roe, F.J.C., 1965

Tumor promotion in the forestomach epithelium of mice by oral administration of citrus oils. J. natn. Cancer Inst., 35, 771-787.

Fisher Scientific, 2012

Accessed September 2012. Available at: <http://www.fisher.co.uk/index.php/en/technical-support>

Flavis, 2012

EUROPA food flavouring website. Accessed September 2012. Available at:

http://ec.europa.eu/food/food/chemicalsafety/flavouring/database/dsp_search.cfm

Florida Chemical Co. Inc., 2003

Material safety data sheet: folded orange oil – 5-fold & 10-fold. October 2003. Florida Chemical Co. Inc., 351 Winter Haven Blvd, NE Winter Haven, Florida 33881-9432. Available at:

<http://www.floridachemical.com/329700%20Folded%20Orange%20Oils%20MSDS.pdf>

Florida Chemical Co. Inc., 2005

Material safety data sheet: cold pressed orange oil – early/midseason & Valencia. April 2005. Florida Chemical Co. Inc., 351 Winter Haven Blvd, NE Winter Haven, Florida 33881-9432.

Available at:

http://www.floridachemical.com/331000_Valencia_Orange_Oil_MSDS.pdf

Frei, J.V. and Kingsley, W.F., 1968

Observations on chemically induced regressing tumours of mouse epidermis. J. natn. Cancer Inst., 41, 1307-1313.

Frei, J.V. and Stephens, P., 1968

The correlation of promotion of tumour growth and of induction of hyperplasia in epidermal two-stage carcinogenesis. Br. J. Cancer, 22, 83-92.

Fuglsang, G., Madsen, C., Saval, P., Osterballe, O., 1993

Prevalence of intolerance to food additives among Danish school children. Pediat. Allergy Immun., 4, 123-129.

Fuglsang, G., Madsen, G., Halcken, S., Jørgensen, S., Ostergaard, P.A., Osterballe, O., 1994

Adverse reactions to food additives in children with atopic symptoms. Allergy, 49, 31-37.

Additive Toxicity Statement

Orange oil, sweet



Good Scents Company, 2012

Entries for CAS RN 8008-57-9. Accessed on 13 August 2012. Available at: <http://www.thegoodscentcompany.com/allproc-5.html>.

Heck, J.D., Vollmuth, T.A., Cifone, M.A., Jagannath, D.R., Myhr, B., Curren, R.D., 1989
An evaluation of food flavouring ingredients in a genetic toxicity screening battery. Toxicologist, 9, 257 (Abstract 1031).

HSDB, 2012

Hazardous Substances Data Bank. Accessed September 2012. Available at: <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>

HSDB, 2002

Hazardous Substances Data Bank number 1934. Record for oil of orange, last revision date 13 May 2002. Accessed 13 August 2012. Available at: <http://toxnet.nlm.nih.gov/cgi-bin/sis/search/f?./temp/~Ce9EOa:1>.

Humco Holding Group Inc., 2003

Material safety data sheet: orange oil. Issued 10 April 2004. Humco Holding Group Inc., 7400 Alumax Drive, Texarkana, Texas 75501. Available at: <http://www.humco.com/assets/pdf/2003-Orange-Oil.pdf>

IARC, 2012

International Agency for Research on Cancer. World Health Organization. Accessed September 2012. Available at: <http://www.iarc.fr/>

Ishidate, M., Harnois, M.C., Sofuni, T., 1988

A comparative analysis of data on the clastogenicity of 951 chemical substances tested in mammalian cell cultures. Mutation Res., 195, 151-213.

IUCLID, 2000

Entry for orange, sweet, ext. European Commission Joint Research Centre; Institute of Health and Consumer Protection; European Chemicals Bureau. Available at: http://esis.jrc.ec.europa.eu/doc/IUCLID/data_sheets/8028486.pdf.

Katz, A., 1946

Dermal irritating properties of essential oils and aromatic chemicals. Spice Mill, 69, 46-48.

Kejlová, K., Jírová, D., Bendová, H., Gajdoš, P., Kolářová, H., 2010

Phototoxicity of essential oils intended for cosmetic use. Toxic. in Vitro, 24(8), 2084-2089.

Kuroda, K., Yoo, Y.S., Ishibashi, T., 1989

Rec-assay of natural food additives. Part 2. Seikatsu Eisei, 33, 15-23.

Maltzman, T.H., Hurt, L.M., Elson, C.E., Tanner, M.A., Gould, M.N., 1989

The prevention of nitrosomethylurea-induced mammary tumours by d-limonene and orange oil. Carcinogenesis, 10, 781-783.

Additive Toxicity Statement

Orange oil, sweet



Meneghini, C.L., Rantuccio, F., Lomuto, M., 1971

Additives, vehicles and active drugs of topical medicaments as causes of delayed-type allergic dermatitis. *Dermatologica*, 143, 137-147.

Merck, 2006

The Merck Index. An Encyclopedia of Chemicals, Drugs and Biologicals. Ed. O'Neil J et al. Fourteenth edition. Merck & Co., Ltd., Whitehouse Station, NJ, USA. ISBN 978-0-911910-00-1.

Opdyke, D.L.J., 1974

Monographs on fragrance raw materials: Orange oil expressed. *Fd Cosmet. Toxicol.*, 12, 733-734.

Roe, F.J.C. and Peirce, W.E.H., 1960

Tumor promotion by citrus oils: tumors of the skin and urethral orifice in mice. *J. natn. Cancer Inst.*, 24, 1389-1403.

Rudzki, E., Grzywa, Z., Bruo, W.S., 1976

Sensitivity to 35 essential oils. *Contact Dermatitis*, 2, 196-200.

SCCS, 2011

Scientific Committee on Consumer Safety. Opinion on fragrance allergens in cosmetic products. Pre-consultation opinion adopted by the SCCS at its 13th plenary meeting of 13-14 December 2011. SCCS/1459/11. Annex I: Clinical evidence regarding sensitisation to individual fragrance chemicals and to natural extracts. Available at: http://ec.europa.eu/health/scientific_committees/consumer_safety/docs/sccs_o_073.pdf.

SCENIHR, 2010

Addictiveness and Attractiveness of Tobacco Additives. The Scientific Committee on Emerging and Newly Identified Health Risks. ISBN 978-92-79-12788-5. European Union. Available at: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenih_r_o_029.pdf

Selvaag, E., Holm, J.O., Thune, P., 1995

Allergic contact dermatitis in an aroma therapist with multiple sensitizations to essential oils. *Contact Dermatitis*, 33, 354-355.

Sharp, D.W., 1978

The sensitization potential of some perfume ingredients tested using a modified Draize procedure. *Toxicology*, 9, 261-271.

Sigma-Aldrich, 2012

Accessed September 2012. Available at: <http://www.sigmaaldrich.com/united-kingdom.html>

Singh, P., Shukla, R., Prakash, B., Kumar, A., Singh, S., Mishra, P.K., Dubey, N.K., 2010
Chemical profile, antifungal, antiaflatoxigenic and antioxidant activity of *Citrus maxima* Burm. and *Citrus sinensis* (L.) Osbeck essential oils and their cyclic monoterpene, DL-limonene. *Fd Chem. Toxic.*, 48, 1734-1740.

Additive Toxicity Statement

Orange oil, sweet



SRC, 2012

Syracuse Research Corporation. Interactive PhysProp Database Demo. Accessed September 2012. Available at: <http://www.syrres.com/what-we-do/databaseforms.aspx?id=386>

TGSC Occupational Health and Safety Department, 1995

TGSC material safety data sheet for orange oil C.P. FCC (Citrus sinensis) Brazilian. 17 July 1995. The Good Scents Company, 1977 East Montana Avenue, Oak Creek, Wisconsin 53154. Available at: <http://hazard.com/msds/mf/gsc/files/md100294.html>.

TGSC Occupational Health and Safety Department, 1996

TGSC material safety data sheet for decanal (natural). 1 June 1996. The Good Scents Company, 1977 East Montana Avenue, Oak Creek, Wisconsin 53154. Available at: <http://hazard.com/msds/mf/gsc/temp/md101586>.

US EPA, 2012

High production volume chemicals (HPV) Challenge Program. Oils, orange, sweet. Last updated 2 August 2012. Available at: <http://ofmpub.epa.gov/opthpv/quicksearch.display?pChem=101510>.

Uter, W., Schmidt, E., Geier, J., Lessmann, H., Schnuch, A., Frosch, P., 2010

Contact allergy to essential oils: current patch test results (2000-2008) from the Information Network of Departments of Dermatology (IVDK). Contact Dermatitis, 63, 277-283.

Wattenberg, L.W., 1983

Inhibition of neoplasia by minor dietary constituents. Cancer Res.(Suppl)., 43, 2448s-2453s.

Wattenberg, L.W. and Coccia, J.B., 1991

Inhibition of 4-(methylnitrosoamino)-1-(3-pyridyl)-1-butanone carcinogenesis in mice by d-limonene and citrus fruit oils. Carcinogenesis, 12, 115-117.

Willer, M., Goodewill, S., Hatt, H., 1992

Olfaction sensitivity of humans in sleep: the effects of odors on physiological parameters and dream contents. Chem. Senses, 17, 892-893 (Abstract 167).