

Additive Toxicity Statement

Sodium acetate



DESCRIPTION


Name	Sodium acetate
IUPAC name	
CAS 6131-90-4	Sodium acetate trihydrate (1:1:3)
CAS 127-09-3	Sodium acetate

CAS no	6131-90-4 127-09-3
--------	-----------------------


EINECS no.	
CAS 6131-90-4	204-823-8
CAS 127-09-3	204-823-8

Molecular formula	
CAS 6131-90-4	$C_2H_4O_2 \cdot Na \cdot 3H_2O$
CAS 127-09-3	$C_2H_3O_2 \cdot Na$

Structural formula	
CAS 6131-90-4	



CAS 127-09-3	
--------------	--



Molecular weight (g/mol)	
CAS 6131-90-4	136.0781
CAS 127-09-3	82.0337

Additive Toxicity Statement

Sodium acetate



AVAILABLE STUDIES

The available toxicity studies indicated in the Commission Implementing Decision (EU) 2015/2186 have been provided as a bibliography of published papers. The studies were obtained by BAT for toxicological assessments, to ensure that additives do not increase the inherent risk associated with the use of our products.

The risk assessment starts with a comprehensive search for relevant papers, using the additive's name, major synonyms and CAS Registry Number. The main sources searched are: TRACE¹, Toxnet², RTECS³, TSCATS⁴, INCHEM⁵, Europa Food Flavouring⁶, ECHA⁷, EAFUS⁸, ChemIDplus⁹ and eChemportal¹⁰.

RISK ASSESSMENT

Toxicological assessments are carried out by our scientists (including a number of European Registered Toxicologists (ERT)) at our Research and Development facilities in the UK. Our approach excludes the use of formally classified genotoxicants, non-threshold carcinogens, mutagens, reproductive and developmental toxicants as additives. Based on Levels of Concern and weight-of evidence, our approach ensures that additives are used at levels lower than the relevant toxicological reference value.

Following a comprehensive search for all available toxicological information, our toxicologists select the most appropriate studies for evaluation for the intended route of exposure. To do this, our toxicologists evaluate the quality of all pertinent studies identified and the data used. The evaluation of data quality includes an assessment of its relevance and reliability as well as the adequacy of the information for hazard/risk assessment purposes, following the principles described by Klimisch *et al*¹¹.

In the majority of BAT's products, a number of the additives are heated or combusted. The effects of heating or combustion on additive toxicity, have been addressed by extensive testing. The results of pyrolysis, smoke chemistry, *in vitro* cytotoxicity, *in vitro* genotoxicity, inhalation toxicity and tumourigenicity studies have been widely published in peer-reviewed journals. These studies are included in our risk assessments where applicable by product class.

Examples of our assessment processes can be found in published literature for example:

- An overview of the effects of tobacco ingredients on smoke chemistry and toxicity¹²
- An approach to ingredient screening and toxicological risk assessment of flavours in e-liquids¹³
- Contact sensitisation risk assessment approach for pouched snus ingredients¹⁴
- Assessment of the irritation potential of Swedish snus ingredients using the Epioral™ tissue model¹⁵

Further examples of our scientific publications are available at www.bat-science.com.

Health risks of tobacco use have primarily been determined in long term human epidemiological studies. For example, the smoking population in countries such as Canada, Australia and the UK have historically smoked Virginia style cigarettes, which contain few additives. In other countries

Additive Toxicity Statement

Sodium acetate



such as the US and Germany smokers prefer American-blended style cigarettes, which contain significantly more additives. Notwithstanding the distinction in historical use of additives in these countries, there appears to be no obvious difference in the relative risks of cigarette smoking for these types of cigarette, or on the incidence of diseases such as lung cancer and chronic obstructive pulmonary disease¹⁶, suggesting that the addition of additives to cigarettes may not increase the incidence of diseases associated with smoking.

ADDICTIVENESS

In its 2010 opinion on Addictiveness and Attractiveness of additives¹⁷, SCENIHR came to the clear conclusion that no additive could be identified which has an "addictive" effect in isolation, and that there are no indications that additives increase the "addictive" effect of nicotine itself.

In a more recent final opinion¹⁸, SCENIHR reviewed 1260 additives and selected only 14 substances for further study because of their contribution to addictiveness to smoking.

CONCLUSION

Based on the available scientific evidence, BAT's scientists have concluded that the additives used in BAT's tobacco products, do not add to the toxicological risks of using those products.

1. Available at: [http://www.bibra-information.co.uk/supported access to our chemical toxicology database TRACE.html](http://www.bibra-information.co.uk/supported%20access%20to%20our%20chemical%20toxicology%20database%20TRACE.html)
2. Available at: <http://toxnet.nlm.nih.gov/index.html>
3. Available at: <http://ccinfoweb.ccohs.ca/rtecs/search.html>
4. Available at: <http://www.srcinc.com/what-we-do/databaseforms.aspx?id=384>
5. Available at: <http://www.inchem.org/>
6. Available at: http://ec.europa.eu/food/food/chemicalsafety/flavouring/database/dsp_search.cfm
7. Available at: <http://echa.europa.eu/information-on-chemicals>
8. Available at: <http://www.accessdata.fda.gov/scripts/cfn/fcnNavigation.cfm?rpt=eafusListing>
9. Available at: <http://chem.sis.nlm.nih.gov/chemidplus/chemidheavy.jsp>
10. Available at: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
11. Klimisch, H.J., Andreae, E., Tillmann, U., (1997). A systematic approach for evaluating the quality of experimental and ecotoxicological data. *Regul. Toxicol. Pharmacol.* 25, 1–5.
12. R. R. Baker, E. D. Massey and G. Smith. An overview of the effects of tobacco ingredients on smoke chemistry and toxicity. *Food Chem. Toxicol.* 42 Suppl: S53-S83, 2004.
13. S. Costigan and C. Meredith. An approach to ingredient screening and toxicological risk assessment of flavours in e-liquids. *Regul. Toxicol. Pharmacol.* 72 (2):361-369, 2015.
14. B. Lang, S. Costigan, S. Goodall and C. Meredith. Contact sensitisation risk assessment approach for pouched snus ingredients. *Toxicology Letters* 229S:S109, 2014. (Abstract)
15. L. Neilson, S. Faux, S., Hinchcliffe, T. Jai and C. Meredith. Assessment of the irritation potential of swedish snus ingredients using the epioral™ tissue model. Society of Toxicology, Baltimore, USA, March 15-19th. The Toxicologist, Volume 108, no 1, pg 307-308 (March 2009) (Conference Poster)
16. World Health Organisation, 2004. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Volume 83. Tobacco smoke and involuntary smoking. p 171. International Agency for Research on Cancer (IARC), Lyon, 2004
17. SCENIHR, 2010. Addictiveness and Attractiveness of Tobacco Additives. The Scientific Committee on Emerging and Newly Identified Health Risks. ISBN 978-92-79-12788-5. European Union. Available at: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_029.pdf.
18. SCENIHR, 2015. Final Opinion on Additives used in Tobacco Products (Opinion 1). The Scientific Committee on Emerging and Newly Identified Health Risks. European Union. Available at: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihr_o_051.pdf.

REFERENCES

Additive Toxicity Statement

Sodium acetate



Alfa Aesar

Accessed July 2014. Available at: <http://www.alfa.com/en/go160w.pgm?srchtyp=product>

Alfa Aesar, 2013

Material Safety datasheet for Sodium acetate trihydrate (CAS RN 6131-90-4). Revision date 25 January 2013. Available at: <http://www.alfa.com/content/msds/british/A16230.pdf>

Baker, R.R. and Bishop, L.J., 2005

The pyrolysis of non-volatile tobacco ingredients using a system that simulates cigarette combustion conditions. *Journal of Analytical and Applied Pyrolysis*, 74, 145-170.

Baker, R.R., Da Silva, J.R.P., Smith, G., 2004a

The effect of tobacco ingredients on smoke chemistry. Part 1: Flavourings and additives. *Food and Chemical Toxicology*, 42S, S3-S37.

Baker, R.R., Da Silva, J.R.P., Smith, G., 2004b

The effect of tobacco ingredients on smoke chemistry. Part 2: Casing ingredients. *Food and Chemical Toxicology*, 42S, S39-S52.

Baker, R.R., Massey, E.D., Smith, G., 2004c

An overview of the effects of tobacco ingredients on smoke chemistry and toxicity. *Food and Chemical Toxicology*, 42S, S53-S83.

Burdock, G.A., 2010

Fenaroli's Handbook of Flavor Ingredients. 6th Edition. CRC Press, Boca Raton. ISBN 978-1-4200-9077-2.

ChemIDplus, (a)

Record for Sodium acetate CAS RN 6131-90-4. Accessed July 2014. Available at: <http://chem.sis.nlm.nih.gov/chemidplus/rn/6131-90-4>

ChemIDplus, (b)

Record for Sodium acetate CAS RN 127-09-3. Accessed July 2014. Available at: <http://chem.sis.nlm.nih.gov/chemidplus/rn/127-09-3>

ChemSpider, (a)

Record for Sodium acetate trihydrate. CAS RN 6131-90-4. Available at: <http://www.chemspider.com/Chemical-Structure.21110.html?rid=2335ec23-d015-4d93-9a2c-5eb09c10de47>

ChemSpider, (b)

Record for sodium acetate. CAS RN 127-09-3. Available at: <http://www.chemspider.com/Chemical-Structure.29105.html>

Codex

Codex Alimentarius. International Food Standards. World Health Organization, Food and Agriculture Organization of the United Nations. Last updated 24 January 2014. Available at: <http://www.codexalimentarius.org/codex-home/en/>

Additive Toxicity Statement

Sodium acetate



CoE, 2000

Chemically-defined flavouring substances. Council of Europe Publishing. ISBN 92-871-4453-2.

CoE, 1992

Flavouring substances and natural sources of flavourings .Volume I. 4th Edition. Chemically-defined flavouring substances. Council of Europe Publishing. ISBN 2-7160-0147-2.

CoE, 1981

Flavouring substances and natural sources of flavourings 3rd Edition. Maisonneuve. ISBN 27160-0081-6.

Donald, J.M., Bradley, M., O'Grady, J.E., Cutler, M.G., Moore, M.R., 1988

Effects of low-level lead exposure on 24 h activity patterns in the mouse. *Toxicology Lett.*, 42, 137-147.

Dutta, N.K., Fernando, G.R., 1972

Antifertility action of sodium acetate in animals. *Indian J. med. Res.*, 60, 48-53.

ECHA

European Chemicals Agency. Information on Chemicals. Accessed July 2014. Available at: <http://echa.europa.eu/information-on-chemicals>

ECHA, 2014a

European Chemicals Agency. Information on Chemicals. Dossier on sodium acetate CAS RN 127-09-3. First published 03 March 2011, Last modified 30 June 2014. Registrants/suppliers CABB GmbH et al. Available at: <http://echa.europa.eu/information-on-chemicals>

ECHA, 2014b

European Chemicals Agency. Classification and Labelling (C&L) Inventory database. Last updated 8 May 2014. Available at: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

EFSA

European Food Safety Authority. Accessed July 2014. Available at: <http://www.efsa.europa.eu/>

EPA

US Environmental Protection Agency. Integrated Risk Information System (IRIS). Accessed July 2014. Available at: http://www.epa.gov/iris/search_human.htm and http://cfpub.epa.gov/ncea/iris_drafts/erd.cfm?excCol=Archive&archiveStatus=both

EPA, 2007

US Environmental Protection Agency. Carboxylic food acids and salts category. Screening-level hazard characterization of high production volume chemicals. Available at: <http://www.epa.gov/hpv/pubs/summaries/acetisalt/c13102rt.pdf>

EPISuite

Accessed July 2014. The database is available to download at: <http://www.epa.gov/opptintr/exposure/pubs/episuitedi.htm>

FASEB, 1977

Additive Toxicity Statement

Sodium acetate



Evaluation of the health aspects of acetic acid, sodium acetate and sodium diacetate as food ingredients. Contract FDA 223-75-2004, prepared for the Food and Drug Administration by the Life Sciences Research Office, Federation of American Societies for Experimental Biology. NTIS PB-274 670.

FDA, 2013a

US Food and Drug Administration. Everything added to Food in the United States (EAFUS). Last updated 23 April 2013. Available at: <http://www.accessdata.fda.gov/scripts/fcn/fcnNavigation.cfm?rpt=eafusListing>

FDA, 2013b

US Food and Drug Administration. Food Additive Status List. Last updated 21 March 2013. Available at: <http://www.fda.gov/Food/IngredientsPackagingLabeling/FoodAdditivesIngredients/ucm091048.htm#ftnP>

Fisher Scientific, 2014

Material Safety Datasheet for Sodium acetate anhydrous (CAS RN 127-09-3). Revised 17 March 2014. Available at: <http://www.fisher.co.uk/index.php/en/technical-support>

Fisher Scientific, 2010

Material Safety Datasheet for Sodium acetate trihydrate (CAS RN 6131-90-4). Revised 1 February 2010. Available at: <http://www.fisher.co.uk/index.php/en/technical-support>

Flavis

EUROPA food flavouring website. Accessed July 2014. Available at: http://ec.europa.eu/food/food/chemicalsafety/flavouring/database/dsp_search.cfm

Fujita, H., Sasaki, M., 1993

Mutagenicity test of food additives with *Salmonella typhimurium* TA97 and TA102. *Ann. Rep. Tokyo Metr. Res. Lab.*, 44, 278-287.

Furihata, C., Yamakoshi, A., Takezawa, R., Matsushima, T., 1989

Various sodium salts, potassium salts, a calcium salt and an ammonium salt induced ornithine decarboxylase and stimulated DNA synthesis in rat stomach mucosa. *Jap. J. Cancer Res.*, 80, 424-429.

GESTIS

Gefahrstoffinformationssystem (Databases on hazardous substances). Accessed July 2014. Available at: http://limitvalue.ifa.dguv.de/Webform_gw.aspx

Good Scents Company, (a)

Record for sodium acetate trihydrate, CAS RN 6131-90-4. Accessed July 2014. Available at: <http://www.thegoodscentscompany.com/data/rw1215391.html>

Good Scents Company, (b)

Record for sodium acetate, CAS RN 127-09-3. Accessed July 2014. Available at: <http://www.thegoodscentscompany.com/data/rw1034671.html>

Grant, W.M., 1974

Additive Toxicity Statement

Sodium acetate



Toxicology of the Eye. 2nd Edition. Charles C. Thomas Publisher, Springfield, Illinois.

HPVIS, 2014

High Production Volume Information Service record for Acetic acid, sodium salt (CAS RN 127-09-3). Available at: <http://ofmpub.epa.gov/opphpv/quicksearch.display?pChem=100291>

HSDB

Hazardous Substances Data Bank. Accessed July 2014. Available at: <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>

IARC

International Agency for Research on Cancer. World Health Organization. Accessed July 2014. Available at: <http://www.iarc.fr/>

Ishidate, M., Sofuni, T., Yoshikawa, K., Hayashi, M., Nohmi, T., Sawada, M., Matsuoka, A., 1984 Primary mutagenicity screening of food additives currently used in Japan. *Fd Chem. Toxic.*, 22, 623-636.

IUCLID, 2000

International Uniform Chemical Information Database. Dataset for sodium acetate (CAS RN 127-09-3). Creation date 18 February 2000. European Commission, European Chemicals Bureau. Available at: <http://esis.jrc.ec.europa.eu/doc/IUCLID/datasheet/127093.pdf>

Jacobs, G.A., Martens, M.A., 1989

An objective method for the evaluation of eye irritation *in vivo*. *Fd Chem. Toxic.*, 27, 255-258.

JECFA

Joint Expert Committee on Food Additives. Monographs and Evaluations. Accessed July 2014. Available at: <http://www.inchem.org/pages/jecfa.html>

JECFA, 2006

Joint FAO/WHO Expert Committee on Food Additives. Online Edition: "Combined Compendium of Food Additive Specifications". Available at: <http://www.fao.org/food/food-safety-quality/scientific-advice/jecfa/jecfa-additives/en/>

JECFA, 1974

17th Report of the Joint FAO/WHO Expert Committee on Food Additives. *WHO Fd Add. Ser.*, 5. World Health Organization, Geneva. Available at: <http://www.inchem.org/documents/jecfa/jecmono/v05je05.htm>

Kavlock, R.J., Short, R.D., Jr, Chernoff, N., 1987

Further evaluation of an *in vivo* teratology screen. *Teratogen. Carcinogen. Mutagen.*, 7, 77, 7-16. Latt, S.A., Allen, J., Bloom, S.E., Carrano, A., Falke, E., Kram, D., Schneider, E., Schreck, R., Tice, R., Whitfield, B., Wolff, S., 1981

Sister-chromatid exchanges: a report of the GENE-TOX program. *Mutation Res.*, 87, 17-62.

Merck, 2013

The Merck Index. An Encyclopedia of Chemicals, Drugs and Biologicals. Ed. O'Neil MJ et al. Fifteenth edition. Royal Society of Chemistry, Cambridge, UK.

Additive Toxicity Statement

Sodium acetate



NTP

US National Toxicology Program. Accessed July 2014. Available at: <http://ntp.niehs.nih.gov/?objectid=03C9AF75-E1BF-FF40-DBA9EC0928DF8B15> and http://tools.niehs.nih.gov/ntp_tox/index.cfm

SCENIHR, 2010

Addictiveness and Attractiveness of Tobacco Additives. The Scientific Committee on Emerging and Newly Identified Health Risks. European Union. ISBN 978-92-79-12788-5. Available at: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenih_r_o_029.pdf

Sheftel, V.O., 1990

Toxic Properties of Polymers and Additives. Inglis E and Dunstall S (Eds). Rapra Technology Limited.

Sigma-Aldrich

Accessed July 2014. Available at: <http://www.sigmaaldrich.com/united-kingdom.html>

SRC, 2013

Syracuse Research Corporation. Interactive PhysProp Database Demo. Available at: <http://esc.syrres.com/fatepointer/search.asp>

Toxtree

Estimation of toxic hazard – a decision tree approach. Ideaconsult Ltd. (Version 2.6.6). Accessed July 2014. Available for download at: http://ihcp.jrc.ec.europa.eu/our_labs/computational_toxicology/qsar_tools/toxtree

Weil, A.J., Rogers, H.E., 1951

Allergic reactivity to simple aliphatic acids in man. *J. invest. Derm.*, 17, 227-231.

World Health Organization, 2004

International Agency for Research into Cancer, Monograph 83, Tobacco Smoke and Involuntary Smoking, page 171, IARC, Lyon, 2004.

Yamamoto, T., Yamakawa, M., 1987

Effect of acetate administration on rats with chronic uremia. *Artif. Organs*, 11, 208-213.