

DESCRIPTION

Name	Viscose
IUPAC name	Not Specified
CAS no	68442-85-3
EINECS no.	270-493-7
Molecular formula	(C ₆ H ₁₀ O ₅) _n
Structural formula	Not Specified
Molecular weight (g/mol)	Not Specified

AVAILABLE STUDIES

The available toxicity studies indicated in the Commission Implementing Decision (EU) 2015/2186 have been provided as a bibliography of published papers. The studies were obtained by BAT for toxicological assessments, to ensure that additives do not increase the inherent risk associated with the use of our products.

The risk assessment starts with a comprehensive search for relevant papers, using the additive's name, major synonyms and CAS Registry Number. The main sources searched are: TRACE¹, Toxnet², RTECS³, TSCATS⁴, INCHEM⁵, Europa Food Flavouring⁶, ECHA⁷, EAFUS⁸, ChemIDplus⁹ and eChemportal¹⁰.

RISK ASSESSMENT

Toxicological assessments are carried out by our scientists (including a number of European Registered Toxicologists (ERT)) at our Research and Development facilities in the UK. Our approach excludes the use of formally classified genotoxicants, non-threshold carcinogens, mutagens, reproductive and developmental toxicants as additives. Based on Levels of Concern and weight-of evidence, our approach ensures that additives are used at levels lower than the relevant toxicological reference value.

Following a comprehensive search for all available toxicological information, our toxicologists select the most appropriate studies for evaluation for the intended route of exposure. To do this, our toxicologists evaluate the quality of all pertinent studies identified and the data used. The evaluation of data quality includes an assessment of its relevance and reliability as well as the adequacy of the information for hazard/risk assessment purposes, following the principles described by Klimisch *et al*¹¹.

In the majority of BAT's products, a number of the additives are heated or combusted. The effects of heating or combustion on additive toxicity, have been addressed by extensive testing. The

results of pyrolysis, smoke chemistry, *in vitro* cytotoxicity, *in vitro* genotoxicity, inhalation toxicity and tumourigenicity studies have been widely published in peer-reviewed journals. These studies are included in our risk assessments where applicable by product class.

Examples of our assessment processes can be found in published literature for example:

- An overview of the effects of tobacco ingredients on smoke chemistry and toxicity¹²
- An approach to ingredient screening and toxicological risk assessment of flavours in e-liquids¹³
- Contact sensitisation risk assessment approach for pouched snus ingredients¹⁴
- Assessment of the irritation potential of Swedish snus ingredients using the Epioral™ tissue model¹⁵

Further examples of our scientific publications are available at www.bat-science.com.

Health risks of tobacco use have primarily been determined in long term human epidemiological studies. For example, the smoking population in countries such as Canada, Australia and the UK have historically smoked Virginia style cigarettes, which contain few additives. In other countries such as the US and Germany smokers prefer American-blended style cigarettes, which contain significantly more additives. Notwithstanding the distinction in historical use of additives in these countries, there appears to be no obvious difference in the relative risks of cigarette smoking for these types of cigarette, or on the incidence of diseases such as lung cancer and chronic obstructive pulmonary disease¹⁶, suggesting that the addition of additives to cigarettes may not increase the incidence of diseases associated with smoking.

ADDICTIVENESS

In its 2010 opinion on Addictiveness and Attractiveness of additives¹⁷, SCENIHR came to the clear conclusion that no additive could be identified which has an "addictive" effect in isolation, and that there are no indications that additives increase the "addictive" effect of nicotine itself. In a more recent final opinion¹⁸, SCENIHR reviewed 1260 additives and selected only 14 substances for further study because of their contribution to addictiveness to smoking.

CONCLUSION

Based on the available scientific evidence, BAT's scientists have concluded that the additives used in BAT's tobacco products, do not add to the toxicological risks of using those products.

1. Available at: <http://www.bibra-information.co.uk/supported> access to our chemical toxicology database TRACE.html
2. Available at: <http://toxnet.nlm.nih.gov/index.html>
3. Available at: <http://ccinfoweb.ccohs.ca/rtecs/search.html>
4. Available at: <http://www.srcinc.com/what-we-do/databaseforms.aspx?id=384>
5. Available at: <http://www.inchem.org/>
6. Available at: http://ec.europa.eu/food/food/chemicalsafety/flavouring/database/dsp_search.cfm
7. Available at: <http://echa.europa.eu/information-on-chemicals>
8. Available at: <http://www.accessdata.fda.gov/scripts/fcn/fcnNavigation.cfm?rpt=eafusListing>
9. Available at: <http://chem.sis.nlm.nih.gov/chemidplus/chemidheavy.jsp>
10. Available at: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
11. Klimisch, H.J., Andreae, E., Tillmann, U., (1997). A systematic approach for evaluating the quality of experimental and ecotoxicological data. *Regul. Toxicol. Pharmacol.* 25, 1–5.

12. R. R. Baker, E. D. Massey and G. Smith. An overview of the effects of tobacco ingredients on smoke chemistry and toxicity. *Food Chem. Toxicol.* 42 Suppl:S53-S83, 2004.
 13. S. Costigan and C. Meredith. An approach to ingredient screening and toxicological risk assessment of flavours in e-liquids. *Regul. Toxicol. Pharmacol.* 72 (2):361-369, 2015.
 14. B. Lang, S. Costigan, S. Goodall and C. Meredith. Contact sensitisation risk assessment approach for pouched snus ingredients. *Toxicology Letters* 229S:S109, 2014. (Abstract)
 15. L. Neilson, S. Faux, S., Hinchcliffe, T. Jai and C. Meredith. Assessment of the irritation potential of swedish snus ingredients using the epioral™ tissue model. Society of Toxicology, Baltimore, USA, March 15-19th. *The Toxicologist*, Volume 108, no 1, pg 307-308 (March 2009) (Conference Poster)
 16. World Health Organisation, 2004. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Volume 83. Tobacco smoke and involuntary smoking. p 171. International Agency for Research on Cancer (IARC), Lyon, 2004
 17. SCENIHR, 2010. Addictiveness and Attractiveness of Tobacco Additives. The Scientific Committee on Emerging and Newly Identified Health Risks. ISBN 978-92-79-12788-5. European Union. Available at: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenih_r_o_029.pdf.
 18. SCENIHR, 2015. Final Opinion on Additives used in Tobacco Products (Opinion 1). The Scientific Committee on Emerging and Newly Identified Health Risks. European Union. Available at: http://ec.europa.eu/health/scientific_committees/emerging/docs/scenih_r_o_051.pdf.
-

REFERENCES

Burdock, G.A., 2010

Fenaroli's Handbook of Flavor Ingredients. 6th Edition. CRC Press, Boca Raton. ISBN 978-1-4200-9077-2.

ChemIDplus

Record for Cellulose, regenerated (CAS RN 68442-85-3). Accessed July 2014. Available at: <http://chem.sis.nlm.nih.gov/chemidplus/>

ChemSpider

Royal Society of Chemistry chemical structure database. Accessed July 2014. Available at: <http://www.chemspider.com/>

CoE, 2000

Chemically-defined flavouring substances. Council of Europe Publishing. ISBN 92-871-4453-2.

CoE, 1992

Flavouring substances and natural sources of flavourings .Volume I. 4th Edition. Chemically-defined flavouring substances. Council of Europe Publishing. ISBN 2-7160-0147-2.

CoE, 1981

Flavouring substances and natural sources of flavourings 3rd Edition. Maisonneuve. ISBN 27160-0081-6.

EC, 2005

European Commission. Provisional list of monomers and additives notified to European Commission as substances which may be used in the manufacture of plastics or coatings intended to come into contact with foodstuffs. Synoptic Document (updated to June 2005). Additives (pages 114-297). Available at: <http://esis.jrc.ec.europa.eu/index.php?PGM=dat>

ECHA

European Chemicals Agency. Information on Chemicals. Accessed July 2014. Available at: <http://echa.europa.eu/information-on-chemicals>

ECHA, 2014

European Chemicals Agency. Classification and Labelling (C&L) Inventory database. Last updated 13 June, 2014. Available at: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

EFSA

European Food Safety Authority. Accessed July 2014. Available at: <http://www.efsa.europa.eu/>

EPA

US Environmental Protection Agency. Integrated Risk Information System (IRIS). Accessed July 2014. Available at: http://www.epa.gov/iris/search_human.htm and http://cfpub.epa.gov/ncea/iris_drafts/erd.cfm?excCol=Archive&archiveStatus=both

Additive Toxicity Statement

Viscose



EPISuite

Accessed July 2014. The database is available to download at:
<http://www.epa.gov/opptintr/exposure/pubs/episuitedi.htm>

FDA, 2013

US Food and Drug Administration. Everything added to Food in the United States (EAFUS). Last updated 23 April 2013. Available at:
<http://www.accessdata.fda.gov/scripts/fcn/fcnNavigation.cfm?rpt=eafusListing>

Fisher Scientific

Accessed July 2014. Available at: <http://www.fisher.co.uk/index.php/en/technical-support>

Flavis

EUROPA food flavouring website. Accessed July 2014. Available at:
http://ec.europa.eu/food/food/chemicalsafety/flavouring/database/dsp_search.cfm

Foti, C., Bonamonte, D., Conserva, A., Angelini, G., 2007

Allergic contact dermatitis to regenerated oxidized cellulose contained in a matrix employed for wound therapy. *Contact Dermatitis*, 57, 47-48.

Good Scents Company

Accessed July 2014. Available at: <http://www.thegoodscentscompany.com/>

HSDB

Hazardous Substances Data Bank. Accessed July 2014. Available at:
<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>

IARC

International Agency for Research on Cancer. World Health Organization. Accessed July 2014. Available at: <http://www.iarc.fr/>

IUCLID, 2000

International Uniform Chemical Information Database. Dataset for Cellulose, regenerated (CAS RN 68442-85-3). Creation date 18 February 2000. European Commission, European Chemicals Bureau. Available at: <http://esis.jrc.ec.europa.eu/doc/IUCLID/datasheet/68442853.pdf>

JECFA

Joint Expert Committee on Food Additives. [Monographs and Evaluations](#). Accessed July 2014. Available at: <http://www.inchem.org/pages/jecfa.html>

Lenzing Fibers, 2007

Material Safety Data Sheet for Viscose Fiber (Cellulosic man-made fiber by Viscose Production Technology; CAS RN 68442-85-3) acc. to 91/155/ECC. August 2007. Available at: http://www.sscmex.com/web/doc/MSDS_VISCOSE_070802_en.pdf

Merck, 2013

The Merck Index. An Encyclopedia of Chemicals, Drugs and Biologicals. Ed. O'Neil MJ et al. Fifteenth edition. Royal Society of Chemistry, Cambridge, UK.

Additive Toxicity Statement

Viscose



NTP

US National Toxicology Program. Accessed July 2014. Available at:
<http://ntp.niehs.nih.gov/?objectid=03C9AF75-E1BF-FF40-DBA9EC0928DF8B15> and
http://tools.niehs.nih.gov/ntp_tox/index.cfm

PubChem

US National Center for Biotechnology Information. Accessed July 2014. Available at:
<http://pubchem.ncbi.nlm.nih.gov/>

Renne, R.A., Yoshimura, H., Yoshino, K., Lulham, G., Minamisawa, S., Tribukait, A., Dietz, D.D., Lee, K.M., Westerberg, R.B., 2006
Effects of Flavoring and Casing Ingredients on the Toxicity of Mainstream Cigarette Smoke in Rats. *Inhalation Toxicology*, 18, 685-706.

SCENIHR, 2010

Addictiveness and Attractiveness of Tobacco Additives. The Scientific Committee on Emerging and Newly Identified Health Risks. European Union. ISBN 978-92-79-12788-5. Available at:
http://ec.europa.eu/health/scientific_committees/emerging/docs/scenihhr_o_029.pdf

Sheftel, V.O., 1990

Toxic Properties of Polymers and Additives. Inglis E and Dunstall S (Eds). Rapra Technology Limited.

Sigma-Aldrich

Accessed July 2014. Available at: <http://www.sigmaaldrich.com/united-kingdom.html>

SRC, 2013

Syracuse Research Corporation. Interactive PhysProp Database Demo. Available at:
<http://esc.syrres.com/fatepointer/search.asp>

Toxtree

Estimation of toxic hazard – a decision tree approach. Ideaconsult Ltd. (Version 2.6.6). Accessed July 2014. Available for download at:
http://ihcp.jrc.ec.europa.eu/our_labs/computational_toxicology/qsar_tools/toxtree

World Health Organization, 2004

International Agency for Research into Cancer, Monograph 83, Tobacco Smoke and Involuntary Smoking, page 171, IARC, Lyon, 2004.

APPENDIX

Statement:

Additive Toxicity Statement

Viscose



This ingredient has been assessed by BAT for its toxicity and carcinogenic, mutagenic or toxic for reproduction (CMR) properties. Based on an investigation of available and relevant internal and external data, it has been concluded that this ingredient does not have any CMR properties. Furthermore, this ingredient is not subject to a harmonised classification as CMR under CLP (1272/2008).