

Ethyl-2-methyl butyrate

Botanical Source

Synonyms ETHYL METHYL BUTYRATE (alpha-)

IUPAC Name

CAS Reference 7452-79-1

E Number

Food Legislation

Council of Europe (CoE)

Number	Comment
265	Listed by the Council of Europe as acceptable for use in food at up to 5 ppm

US Food and Drug Administration

Number	Comment
172.515	Approved by the US FDA. FDA 21 CFR 172.515

Joint FAO/WHO Expert Committee on Food Additives (JECFA)

Number	ADI	Comment
206	No safety concern@ intake	No safety concern at current levels of intake when used as a flavoring agent.

FEMA

FEMA No.	Comment
2443	-

Natural Occurrence and Use in Food

Found in apple, apple juice, beer, blackberry, brandy apple, brandy grape, cantaloupe, fig, grape, honeydew melon, used in hard candy, beverages, ice cream

Estimated Intake from Food and Drink

Daily Intake mg/kg/day	FEMA Possible Average Daily Intake mg

Ethyl-2-methyl butyrate

Tobacco Product Related Chemical and Biological Studies for Ingredients Added in a Mixture

Smoke Chemistry		
Published Source	Level Tested %	Comment
BAT	0.00120	At maximum application level this ingredient is not associated with significant increases in levels of Hoffmann analytes in smoke.
Philip Morris	0.00090	An overall assessment of the data suggests that this ingredient did not add to the toxicity of smoke.

Ames Activity		
Published Source	Level Tested %	Comment
BAT	0.00120	Within the sensitivity and specificity of the system the Ames activity of the cigarette smoke condensate was not increased by the addition of the ingredient.
Philip Morris	0.00090	Within the sensitivity and specificity of the system the Ames of the cigarette smoke was not increased by the addition of the ingredient

Micronucleus		
Published Source	Level Tested %	Comment
BAT	0.00120	Within the sensitivity of the in vitro micronucleus assay the activity of the cigarette smoke condensate was not increased by the addition of the ingredient.

Neutral Red		
Published Source	Level Tested %	Comment
BAT	0.00120	Within the sensitivity of the test system the in vitro cytotoxicity of the cigarette smoke condensate was not increased by the addition of the ingredient.
Philip Morris	0.00090	Within the sensitivity and specificity of the test system the in vitro cytotoxicity of the cigarette smoke condensate was not increased by the addition of the ingredient

Inhalation		
Published Source	Level Tested %	Comment
BAT	0.00120	The results indicate that the addition of the ingredient had no discernible effect on the inhalation toxicity of mainstream smoke.
Philip Morris	0.00090	The data indicates that the addition of the ingredient, when added with one of three groups, did not increase the inhalation toxicity of the smoke.

References
Baker RR, Pereira da Silva JR, Smith G. The effect of tobacco ingredients on smoke chemistry. Part I: Flavourings and additives. Food Chem Toxicol. 2004; 42 Suppl:S3-37.
Baker RR, Pereira da Silva JR, Smith G. The effect of tobacco ingredients on smoke chemistry. Part II: casing ingredients. Food Chem Toxicol. 2004; 42 Suppl:S39-52.
Baker RR, Massey ED, Smith G. An overview of the effects of tobacco ingredients on smoke chemistry and toxicity. Food Chem Toxicol. 2004; 42 Suppl:S53-83.
Carmines EL. Evaluation of the potential effects of ingredients added to cigarettes. Part 1: cigarette design, testing approach, and review of results. Food Chem Toxicol. 2002; 40(1): 77-91.
Rustemeier K, Stabbert R, Haussmann HJ, Roemer E, Carmines EL. Evaluation of the potential effects of ingredients added to cigarettes. Part 2: chemical composition of mainstream smoke. Food Chem Toxicol. 2002; 40(1): 93-104.
Roemer E, Tewes FJ, Meisgen TJ, Veltel DJ, Carmines EL. Evaluation of the potential effects of ingredients added to cigarettes. Part 3: in vitro genotoxicity and cytotoxicity. Food Chem Toxicol. 2002; 40(1): 105-111.
Vanscheeuwijck PM, Teredesai A, Terpstra PM, Verbeeck J, Kuhl P, Gerstenberg B, Gebel S, Carmines EL. Evaluation of the potential effects of ingredients added to cigarettes. Part 4: subchronic inhalation toxicity. Food Chem Toxicol. 2002; 40(1): 113-131.

Ethyl-2-methyl butyrate

Tobacco Product Related Chemical and Biological Studies for Ingredients Tested Singly

References
Baker RR, Bishop LJ. The pyrolysis of tobacco ingredients. J. Anal. Appl. Pyrolysis 2004, 71, 223-311.

